





SIM900D

SIMCom presents an ultra compact and reliable wireless module-SIM900D. This is a complete Quad-band GSM/GPRS module in a SMT type and designed with a very powerful single-chip processor integrating ARM926EJ-S core, allowing you to benefit from small dimensions and cost-effective solutions. Furthermore, SIM900D can be compatible with SIM340DZ.

Featuring an industry-standard interface, the SIM900D delivers GSM/GPRS 850/900/1800/1900MHz performance for voice, SMS, Data, and Fax in a small form factor and with low power consumption. With a tiny configuration of 33mm x 3mm x 3 mm, SIM900D can fit almost all the space requirements in your M2M applications, especially for slim and compact demands of design.

Smart Machine Smart Decision

General features

- •Quad-Band 850/ 900/ 1800/ 1900 MHz
- •GPRS multi-slot class 10/8
- •GPRS mobile station class B
- •Compliant to GSM phase 2/2+
- Class 4 (2 W @850/ 900 MHz)
- Class 1 (1 W @ 1800/1900MHz)
- •Dimensions: 33* 33 * 3 (mm)
- •Weight: 6.2g
- •Control via AT commands (GSM 07.07,07.05 and
- SIMCOM enhanced AT Commands)
- •SIM application toolkit
- •Supply voltage range : 3.2 ... 4.8V
- •Low power consumption: 1.5mA(sleep mode)
- •Operation temperature: -40 C to +85 C

Specifications for Fax

•Group 3, class 1

Specifications for GPRS Data

- •GPRS class 10: max. 85.6 kbps (downlink)
- PBCCH support
- •Coding schemes CS 1, 2, 3, 4
- •PPP-stack

Specifications for CSD Data

- •USSD
- •Non transparent mode

Specifications for SMS via GSM/GPRS

- •Point-to-point MO and MT
- •SMS cell broadcast
- •Text and PDU mode

Software features

- •0710 MUX protocol
- •embedded TCP/UDP protocol
- •FTP/HTTP

Special firmware

- •FOTA
- •MMS
- •Embedded AT

Specifications for Voice

- Tricodec
- Half rate (HR)
- Full rate (FR)
- Enhanced Full rate (EFR)
- •AMR
- Half rate (HR)
- Full rate (FR)
- •Hands-free operation (Echo suppression)

Interfaces

- •Interface to external SIM 3V/ 1.8V
- •analog audio interface
- •RTC backup
- •SPI interface (option)
- •Serial interface
- •Embedded SIM (option)
- Antenna pad
- •GPIO
- •ADC
- •Charge interface for Li battery
- •PWM

Compatibility

•AT cellular command interface

Certificates

- •CE
- •ROHS
- REACH

Carrier Approvals

Orange

More about SIMCom SIM900D Please contact:

Tel: 86-21-32523300 Fax: 86-21-32523301

Email: simcom@sim.com Website: www.sim.com/wm

All specifications are subject to change without prior notice